



LOCKTON
E-Series



2-Hours



IP66



**1 Million
Cycle
Tested**

**IN
STOCK
NOW**



CADELL 52

Commercial And Domestic Electronic Lever Lock

SMART, SECURE BUILT TOUGH FOR TIMBER DOORS

CADELL 52

Commercial And Domestic Electronic Lever Lock



WHY CHOOSE CADELL 52

- **Six ways to Unlock:** Fingerprint, Pincode, RFID tag, Key Override or Bluetooth App, WiFi App
- Tested to **1 Million** Cycles for Durability
- Retrofits Existing Wide Plate Furniture
- Satin Stainless Steel or Matte Black Finishes Available



Manage Access
Anytime, Anywhere




Backed by a market leading warranty:

- **10 Year Mechanical Warranty**
- **3 Year Electronic Warranty**



Australian Registered Design
No. 202512170
Patent Rights Reserved in
Australia & Internationally
AU2025900875



CADELL 52

Commercial And Domestic Electronic Lever Lock



Commercial



“Smart, Secure, and Tough”

- A commercial grade Smart Door Lock that retrofits effortlessly to common Australian mortice locks.

“Built with weather protection, fire protection and convenience at its core”



IP66

- Designed without compromise, the CADELL52 sets a new standard in commercial smart locks — combining superior strength, fire protection, and weather resistance for where it matters most.



2-Hours



SL8 : Physical Security Rating



D8 : Durability Rating (500,000 Cycles)




Design for Access and mobility - AS1428.1-2009



“Australian Design & Finish”

-Every detail of the CADELL52 has been carefully considered to complement common commercial hardware, ensuring a seamless and professional look in any commercial environment.

And..



CADELL 52

Commercial And Domestic Electronic Lever Lock

Domestic

“Commercial-Grade Security — for Work or at Home”

- The CADELL52 Commercial Smart Door Lock is also perfectly suited for residential use — bringing unmatched commercial-grade strength, security, and quality to your home



Electronic

Access Specifications

Access methods	Fingerprint, Pincode, RFID tag, Key Override or Bluetooth App
Application	TTlock App
IP Rating	IP66
Key Override	6-Pin Australian Oval Cylinder with two keys
Number of users	Unlimited Bluetooth
Key tags (RFID)	1000
Fingerprints	100
PIN Code	Unlimited customised on code on TTlock App
Pin Code Length	4 to 9 digits


LeverLock

General

Door Weight	Between 20 & 120kgs
Application Area	Commercial premises: Apartment Blocks, Schools, Businesses, Medical & Private Residences
IP Rating	IP66
Fire Rating	2 Hours
Material thickness (Plate furniture)	2mm Pressed 304 Stainless steel
Finish	Satin Stainless Steel & Matte Black
Handle dimensions	263 x 52 x 22mm (HWD)
Handle Material	Solid Stainless Steel
Door thickness	32-60mm
Batteries	4 x 1.5V AAA alkaline batteries
Battery life	Approximately 1 year (10-20 uses per day)



Smart Door Locks



CADELL **52** With - **60mm** Mortice Lock



Art ID

Description

CADELL52-SSS-ML60

'E-Series' CADELL52 Commercial & Domestic Electronic Lever Lock KIT - Incl. 60mm Mortice Lock (Art. SG-ML60)

CADELL52-BLK-ML60

'E-Series' CADELL52 Commercial & Domestic Electronic Lever Lock KIT *BLACK* - Incl. 60mm Mortice Lock (Art. SG-ML60)

CADELL **52** With - **95mm** Mortice Lock



Art ID

Description

CADELL52-SSS-ML95

'E-Series' CADELL52 Commercial & Domestic Electronic Lever Lock KIT - Incl. 95mm Mortice Lock (Art. SG-ML95)

CADELL52-BLK-ML95


'E-Series' CADELL52 Commercial & Domestic Electronic Lever Lock KIT *BLACK* - Incl. 95mm Mortice Lock (Art. SG-ML95)

NEW

CADELL **52** Retrofit Upgrade Plates

Art ID

Description



PS-REC-52-1-BLK

S/Steel SCAR PLATE (RECTANGLE 280 x 70mm) *Black*

PS-REC-52-1-SS

S/Steel SCAR PLATE (RECTANGLE 280 x 70mm)

PS-REC-52-2-BLK

S/Steel SCAR PLATE (RECTANGLE 286 x 76mm) *Black*

PS-REC-52-2-SS

S/Steel SCAR PLATE (RECTANGLE 286 x 76mm)

PS-REC-52-3-BLK

S/Steel SCAR PLATE (RECTANGLE 296 x 86mm) *Black*

PS-REC-52-3-SS

S/Steel SCAR PLATE (RECTANGLE 296 x 86mm)





Smart Door Locks



CADELL 52 IN THE BOX



CADELL52 Smart Lock Handle Set




2x RFID Key Fobs



Screw / Spindle packs for Door Thickness

- 32-40mm
- 40-50mm
- 50-60mm

Commercial Mortice Lock



Fitting Templates & Instruction Manual



Turnsnib Kit



4x AAA Batteries



6-Pin 'C4' 50mm Oval Cylinder

