


Slim 5 in 1 Smart Lock - CL450BF

The CL450BF is the latest addition to the SecEsafe slim smart lock range. The CL450BF adopts all of the best features of the CL410BF & CL420BF; however, in addition to this, the added key system makes it the perfect smart lock to incorporate your pre-existing key system or restricted key system alongside you smart lock. The smart lock design is DDA compliant making it the perfect smart lock for commercial and regulated properties.


With the CL450BF, you can access and control your smart lock conveniently and securely. The smart lock can be managed through the TTLock app (available on iOS/Android devices). You can easily manage user access from your smartphone by sharing and deleting access, viewing who has accessed the lock, and sharing admin abilities where required. The CL450BF is the perfect smart lock for commercial, residential, Airbnb, Motels, Gyms etc. The smart lock is available in matt black and stainless steel to accommodate all your modern, aesthetic needs.





Features:

- 5 in 1 Unlock Options (Gateway Sold Separately)
- Specific Codes can be sent via SMS or E-Mail; these codes can be temporary or permanent.
- Intelligent Alarm
- Auto Locking
- Anti-peeping Protection
- TTLock, Google Assistant and Amazon Alexa are supported.
- MiFare Fobs & Fingerprints can be added as credentials.
- Mechanical Key Option
- Micro-USB port in case the batteries go flat





CL450BF Specifications

External body dimensions	313mm x 53mm x 28mm (L x W x D)
Internal body dimensions	310mm x 53mm x 3mm (L x W x D)
Door thickness	35mm to 60mm
Lock type	Legge 995MF30SC 30mm narrow backset primary mortice lock (Sold Separately)
Access methods	Code: 300 access code capacity Fingerprint: 300 fingerprint capacity Key tags: 200 key tag capacity TTLock App Fingerprint Key Override
Key override	5-Pin Australian oval cylinder with two keys
Materials	Die cast zinc alloy body and lever. SSS internal plate
Intergrations	Works With Amazon Alexa & Google Home
Battery	x 1.5V AAA alkaline batteries
Operating Temperature	0°C to 50°C
Suitable Environments	Recommended for multi-residential or office use with internal access where fire rating required.
Fire Rating	Fire Rating Compliant when installed inconjunction with fire rated lock.
Remote Unlock	Lock can be unlocked/locked and managed remotely via Gateway (Sold Separately).